

miniDSP UMIK-1

120,00 €

Produktbilder



Kurzbeschreibung

USB-Messmikrofon für Aroio-Streamer

Beschreibung

miniDSP Messmikrofon

zum direkten Anschluss an Aroio-Streamer via USB.
Individuelle Korrekturdatei zum [Download hier](#). (Seriennummer eingeben)

Ein USB-Verlängerungskabel 3m liegt bei, Gesamtlänge dann 4,5m.

Beim Kauf mit einem ABACUS Streamerprodukt nur €99,-.

Technische Daten

Technische Daten: (Quelle: miniDSP)

Eigenschaft	Wert
Capsule Type & Polar pattern	6mm electret, Omni-Directional
Frequency response	20 Hz - 20kHz +/-1dB with calibration loaded
USB Audio Class	USB Audio class 1.0 Driverless interface for Windows, Mac & Linux
Connector	miniUSB Connector
Calibration File	Unique microphone calibration .txt file referenced to the Serial Number Includes on axisFrequency Amplitude / Sensitivity drift
Resolution & Sample rate	24bit ADC @ 44.1 or 48kHz
Max SPL for 1 % TDH @ 1kHz	133 dB SPL @0dB gain setting
Output noise level at max IGPA	-74dBFS
Weight	120gm for microphone, 600gm complete kit with accessories
Power	USB Powered (5V) - Blue LED indicates unit under Power

